



COMBINED LIGHTING SERIES


组合照明系列

组合灯系列照明是大面积照明工程中应用最广泛的一种光源配置形式，主要适用于大型文化主题广场、迎宾大道等需要装饰性景观性与功能性相结合的照明场所。

公司拥有专业的照明设计团队，可根据客户的要求，结合客户的场地条件、地方文化特式进行艺术创造，是文化照明艺术照明的倡导者和执行者。可定制各种文化类组合景观特式照明产品。亮化和美化合一，功能和装饰一体。

Combination in large area lighting lamp lighting series is the most widely used a form of light source configuration, mainly is suitable for the large-scale cultural theme square, yingbin avenue, etc need to decorative landscape and functional combination of lighting places.

Company has a professional lighting design team, can according to customer's requirements, combined with the site conditions of the customer, local culture, type of artistic creation, is a cultural lighting art lighting advocates and practitioners. Can be customized different combination of the culture landscape lighting products. Brighten and beautify one, functional and decorative.



型号: LDZH-12701 型 高度:13-16m 光源: LED







型号: LDZH-12901 型 高度 :13-16m 光源: LED



型号: LDZH-12902 型 高度 :13-16m 光源: LED



型号: LDZH-13001 型



Combined lighting series

组合照明系列

- 组合灯系列照明是装饰性景观性与功能性相结合的大面积照明形式。有个性有特色有底蕴。
- 适用场所：大型文化主题广场、迎宾大道、主干道等。
- 功能说明：光源采用多头多火组合式布置，光照效果特别。主杆和底座可发光，也可根据地方文化特色进行个性化的设计和艺术处理。
- 材质说明：光源采用先进的 led 技术，主杆优质钢板加工制造，装饰件模具成型或采用大型数控激光雕刻技术完成。
- Combination lamp series lighting is a decorative landscape and functional combination form of large area lighting. Character has distinguishing feature.
- Application places: the big cultural theme square, yingbin avenue, the main road, etc.
- Function description: light source adopts long more modular layout, fire lighting effects in particular. The main pole and base can light, also can be personalized design according to the local cultural characteristics and artistic processing.
- Material: light source adopts advanced led technology, the main stem of high qualified steel plate processing and manufacturing, decoration molding or use big CNC laser engraving technology.





Combined lighting series

组合照明系列

- 文化定制类组合灯，现代简约，集装饰功能于一身。
- 灯体采用激光切割拼接而成，表面喷涂户外专用塑粉。
- 主光源采用多芯片集成 LED。
- PC 灯罩高温压制成型。
- The Chinese classical Chinese lamp extension design, modern simplicity, set decoration function in one.
- The lamp body is made of steel splicing, and the surface is painted with outdoor special plastic powder.
- Main light source using multi chip integrated LED.
- High temperature pressing of PC lampshade.

技术参数 Product Dimension

输入电压 /input voltage	AC220V
频率范围 /frequency range	50/60Hz
使用寿命 /lifetime	> 30000h
工作环境温度 /Operating temperature	-40℃ ~ +50℃
工作环境湿度 /Operating humidity	10% ~ 90%
光效 /Light effect	≥ 110lm/W
防护等级 /Protection grade	IP65
防触电保护等级 /Electric shock protection grade	I 类
安装高度 /Installation height	10-16m



型号: LDZH-13201 型 高度:13-16m 光源: LED



型号: LDZH-13202 型 高度:13-16m 光源: LED



型号: LDZH-13203 型 高度:13-16m 光源: LED



型号: LDZH-13204 型 高度:13-16m 光源: LED



型号: LDZH-13301 型 高度:13-16m 光源: LED



型号: LDZH-13302 型 高度:13-16m 光源: LED



型号: LDZH-13303 型 高度:13-16m 光源: LED



型号: LDZH-13304 型 高度:13-16m 光源: LED



型号: LDZH-13401 型 高度:13-16m 光源: LED



型号: LDZH-13402 型 高度:13-16m 光源: LED



型号: LDZH-13403 型 高度:13-16m 光源: LED



型号: LDZH-13404 型 高度:13-16m 光源: LED

型号: LDZH-13501 型 高度:13-16m 光源: LED





型号: LDZH-13601 型

型号: LDZH-13602 型

型号: LDZH-13603 型



型号: LDZH-13604 型

型号: LDZH-13605 型

型号: LDZH-13606 型



型号: LDZH-13701型 高度:13-16m 光源: LED



型号: LDZH-13702型 高度:13-16m 光源: LED



型号: LDZH-13801 型




Combined lighting series

组合照明系列

- 组合灯系列照明是装饰性景观性与功能性相结合的大面积照明形式。有个性有特色有底蕴。
- 适用场所：大型文化主题广场、迎宾大道、主干道等。
- 功能说明：光源采用多头多火组合式布置，光照效果特别。主杆和底座可发光，也可根据地方文化特色进行个性化的设计和艺术处理。
- 材质说明：光源采用先进的 led 技术，主杆优质钢板加工制造，装饰件模具成型或采用大型数控激光雕刻技术完成。

- Combination lamp series lighting is a decorative landscape and functional combination form of large area lighting. Character has distinguishing feature.
- Application places: the big cultural theme square, yingbin avenue, the main road, etc.
- Function description: light source adopts long more modular layout, fire lighting effects in particular. The main pole and base can light, also can be personalized design according to the local cultural characteristics and artistic processing.
- Material: light source adopts advanced led technology, the main stem of high qualified steel plate processing and manufacturing, decoration molding or use big CNC laser engraving technology.







型号: LDZH-14001 型 高度 :13-16m 光源: LED



型号: LDZH-14002 型 高度 :13-16m 光源: LED



型号: LDZH-14101 型



型号: LDZH-14102 型



型号: LDZH-14103 型



型号: LDZH-14104 型



型号: LDZH-14105 型



型号: LDZH-14106 型



型号: LDZH-14201 型



型号: LDZH-14202 型



型号: LDZH-14203 型



型号: LDZH-14204 型



型号: LDZH-14205 型



型号: LDZH-14206 型

型号: LDZH-14301 型 高度:13-16m 光源: LED





型号: LDZH-14401 型

型号: LDZH-14402 型

型号: LDZH-14403 型



型号: LDZH-14404 型

型号: LDZH-14405 型


型号: LDZH-14406 型




型号: LDZH-14501 型 高度:13-16m 光源: LED



型号: LDZH-14502 型 高度:13-16m 光源: LED



型号: LDZH-14601 型



Combined lighting series

组合照明系列

- 组合灯系列照明是装饰性景观性与功能性相结合的大面积照明形式。有个性有特色有底蕴。
- 适用场所：大型文化主题广场、迎宾大道、主干道等。
- 功能说明：光源采用多头多火组合式布置，光照效果特别。主杆和底座可发光，也可根据地方文化特色进行个性化的设计和艺术处理。
- 材质说明：光源采用先进的 led 技术，主杆优质钢板加工制造，装饰件模具成型或采用大型数控激光雕刻技术完成。
- Combination lamp series lighting is a decorative landscape and functional combination form of large area lighting. Character has distinguishing feature.
- Application places: the big cultural theme square, yingbin avenue, the main road, etc.
- Function description: light source adopts long more modular layout, fire lighting effects in particular. The main pole and base can light, also can be personalized design according to the local cultural characteristics and artistic processing.
- Material: light source adopts advanced led technology, the main stem of high qualified steel plate processing and manufacturing, decoration molding or use big CNC laser engraving technology.





Combined lighting series

组合照明系列

- 文化定制类组合灯，现代简约，集装饰功能于一身。
- 灯体采用激光切割拼接而成，表面喷涂户外专用塑粉。
- 主光源采用多芯片集成 LED。
- PC 灯罩高温压制成型。
- The Chinese classical Chinese lamp extension design, modern simplicity, set decoration function in one.
- The lamp body is made of steel splicing, and the surface is painted with outdoor special plastic powder.
- Main light source using multi chip integrated LED.
- High temperature pressing of PC lampshade.

技术参数 Product Dimension

输入电压 /input voltage	AC220V
频率范围 /frequency range	50/60Hz
使用寿命 /lifetime	> 30000h
工作环境温度 /Operating temperature	-40℃ ~ +50℃
工作环境湿度 /Operating humidity	10% ~ 90%
光效 /Light effect	≥ 110lm/W
防护等级 /Protection grade	IP65
防触电保护等级 /Electric shock protection grade	I 类
安装高度 /Installation height	10-16m



型号: LDZH-14801 型 高度:13-16m 光源: LED



型号: LDZH-14802 型 高度:13-16m 光源: LED



型号: LDZH-14803 型 高度:13-16m 光源: LED



型号: LDZH-14804 型 高度:13-16m 光源: LED



型号: LDZH-14901 型 型号: LDZH-14902 型 型号: LDZH-14903 型 型号: LDZH-14904 型



型号: LDZH-14905 型 型号: LDZH-14906 型 型号: LDZH-14907 型 型号: LDZH-14908 型



型号: LDZH-15001 型

型号: LDZH-15002 型

型号: LDZH-15003 型

型号: LDZH-15004 型



型号: LDZH-15005 型

型号: LDZH-15006 型

型号: LDZH-15007 型

型号: LDZH-15008 型

型号: LDZH-15101 型 高度:13-16m 光源: LED





型号: LDZH-15201 型

型号: LDZH-15202 型

型号: LDZH-15203 型



型号: LDZH-15204 型

型号: LDZH-15205 型

型号: LDZH-15206 型

型号: LDZH-15301 型 高度:13-16m 光源: LED





LANDSCAPE LIGHTING SERIES

景观照明系列

景观照明系列灯饰是城市园林景区、文化休闲娱乐广场及大型社会活动场所普遍使用且必不可少的装饰光源配置形式，是装饰型照明灯饰产品。杆体材质多样，光源运用灵活多变，声、光、电三位一体，结构形态千姿百态，是美化、亮化、绿化有机结合，光与影、灯与艺术的完美结晶。

Landscape lighting series urban garden area, cultural and recreational places Square and the widespread use of large-scale social activities and the essential form of decorative lighting configuration, is the decorative lighting lighting products. Variety of rod material, the use of flexible lighting, sound, light, electricity Trinity, structure and morphology varied and are landscaping, lighting, green organic combination of light and shadow, light and art of the perfect crystal.



型号: LDJG-16901 型 高度 :3-8m 光源: LED/ 节能灯









型号: LDJG-17101 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-17102 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-17201 型



Landscape lighting series

景观照明系列

• 装饰型景观灯饰产品。设计风格或抽象前卫如艺术雕塑，或仿真写实如自然常态。在展示现代精美制造工艺的同时，又融入多种具有一定地方或民族文化特式的元素，极具观赏和使用价值。

适用场所

• 公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。

材料说明

• 钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。

• Decorative landscape lighting products. Avant-garde design style such as art or abstract sculpture, or simulation of realistic, such as natural norm. While fine display of modern manufacturing processes, but also into a variety of local or national culture has a special type of element, highly ornamental and use value.



Applicable places:

• Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.

Material specification:

• Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.





Landscape lighting series

景观照明系列

• 装饰型景观灯饰产品。设计风格或抽象前卫如艺术雕塑，或仿真写实如自然常态。在展示现代精美制造工艺的同时，又融入多种具有一定地方或民族文化特式的元素，极具观赏和使用价值。

适用场所

• 公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。

材料说明

• 钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。

• Decorative landscape lighting products. Avant-garde design style such as art or abstract sculpture, or simulation of realistic, such as natural norm. While fine display of modern manufacturing processes, but also into a variety of local or national culture has a special type of element, highly ornamental and use value.

Applicable places:

• Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.

Material specification:

• Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.

型号: LDJG-17401 型 高度 :3-8m 光源: LED/ 节能灯






型号: LDJG-17501 型 高度:3-8m 光源: LED/ 节能灯



型号: LDJG-17502 型 高度:3-8m 光源: LED/ 节能灯



型号: LDJG-17503 型 高度:3-8m 光源: LED/ 节能灯



型号: LDJG-17504 型 高度:3-8m 光源: LED/ 节能灯



型号: LDJG-17601 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-17602 型 高度 :3-8m 光源: LED/ 节能灯




型号: LDJG-17603 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-17604 型 高度 :3-8m 光源: LED/ 节能灯

型号: LDJG-17701 型 高度 :3-8m 光源: LED/ 节能灯







型号: LDJG-17901 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-17902 型 高度 :3-8m 光源: LED/ 节能灯




型号: LDJG-17903 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-17904 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-18001 型



Landscape lighting series

景观照明系列

• 装饰型景观灯饰产品。设计风格或抽象前卫如艺术雕塑，或仿真写实如自然常态。在展示现代精美制造工艺的同时，又融入多种具有一定地方或民族文化特式的元素，极具观赏和使用价值。

适用场所

• 公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。

材料说明

• 钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。

• Decorative landscape lighting products. Avant-garde design style such as art or abstract sculpture, or simulation of realistic, such as natural norm. While fine display of modern manufacturing processes, but also into a variety of local or national culture has a special type of element, highly ornamental and use value.


Applicable places:

• Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.

Material specification:

• Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.





Landscape lighting series

景观照明系列

• 装饰型景观灯饰产品。设计风格或抽象前卫如艺术雕塑，或仿真写实如自然常态。在展示现代精美制造工艺的同时，又融入多种具有一定地方或民族文化特式的元素，极具观赏和使用价值。

适用场所

• 公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。

材料说明

• 钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。

• Decorative landscape lighting products. Avant-garde design style such as art or abstract sculpture, or simulation of realistic, such as natural norm. While fine display of modern manufacturing processes, but also into a variety of local or national culture has a special type of element, highly ornamental and use value.

Applicable places:

• Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.

Material specification:

• Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.

型号: LDJG-18201 型 高度 :3-8m 光源: LED/ 节能灯





型号: LDJG-18301 型



型号: LDJG-18302 型



型号: LDJG-18303 型



型号: LDJG-18304 型



型号: LDJG-18305 型



型号: LDJG-18306 型



型号: LDJG-18401 型



型号: LDJG-18402 型



型号: LDJG-18403 型



型号: LDJG-18404 型





型号: LDJG-18405 型



型号: LDJG-18406 型

型号: LDJG-18501 型 高度 :3-8m 光源: LED/ 节能灯







型号: LDJG-18701 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-18702 型 高度 :3-8m 光源: LED/ 节能灯




型号: LDJG-18703 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-18704 型 高度 :3-8m 光源: LED/ 节能灯



型号: LDJG-18801 型



Landscape lighting series

景观照明系列

• 装饰型景观灯饰产品。设计风格或抽象前卫如艺术雕塑，或仿真写实如自然常态。在展示现代精美制造工艺的同时，又融入多种具有一定地方或民族文化特式的元素，极具观赏和使用价值。

适用场所

• 公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。

材料说明

• 钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。

• Decorative landscape lighting products. Avant-garde design style such as art or abstract sculpture, or simulation of realistic, such as natural norm. While fine display of modern manufacturing processes, but also into a variety of local or national culture has a special type of element, highly ornamental and use value.

Applicable places:

• Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.

Material specification:

• Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.





型号: LDJG-18901 型



型号: LDJG-18902 型



型号: LDJG-18903 型



型号: LDJG-18904 型



型号: LDJG-18905 型



型号: LDJG-18906 型



型号: LDJG-19001 型



型号: LDJG-19002 型



型号: LDJG-19003 型



型号: LDJG-19004 型



型号: LDJG-19005 型



型号: LDJG-19006 型



型号: LDJG-19101 型



型号: LDJG-19102 型



型号: LDJG-19103 型



型号: LDJG-19104 型



型号: LDJG-19105 型



型号: LDJG-19106 型



型号: LDJG-19201 型



型号: LDJG-19202 型



型号: LDJG-19203 型



型号: LDJG-19204 型




型号: LDJG-19205 型



型号: LDJG-19206 型

型号: LDJG-19301 型 高度 :3-8m 光源: LED/ 节能灯






型号: LDJG-19401 型




型号: LDJG-19402 型




型号: LDJG-19403 型



型号: LDJG-19404 型



型号: LDJG-19405 型




型号: LDJG-19406 型




型号: LDJG-19407 型



型号: LDJG-19408 型




型号: LDJG-19409 型



型号: LDJG-19410 型



型号: LDJG-19411 型



型号: LDJG-19412 型



型号: LDJG-19501 型



型号: LDJG-19502 型



型号: LDJG-19503 型



型号: LDJG-19504 型



型号: LDJG-19505 型




型号: LDJG-19506 型



型号: LDJG-19507 型



型号: LDJG-19508 型



型号: LDJG-19509 型



型号: LDJG-19510 型



型号: LDJG-19511 型



型号: LDJG-19512 型



型号: LDJG-19513 型



COURTYARD LIGHTING SERIES

庭院照明系列

庭院灯系列灯饰照明是园林景区、文化休闲娱乐广场、步行街、商业街、住宅小区、行车道两侧等场所普遍使用的装饰及照明光源配置形式，是装饰型照明灯饰产品。杆体材质多样，光源运用灵活多变，结构形态千姿百态，是美化、亮化、绿化有机结合，光与影、灯与艺术的完美结晶。

Courtyard lighting is widely used in garden area ,culture ,leisure and entertainment plaza ,pedestrian streets ,commercial streets,and residential areas, places such as the carriageway on both sides of the widespread use of decorative and lighting configurations, decorative lighting lighting products. Variety of rod material, the use of flexible light source, structure and morphology in different styles and is the landscaping, lighting, green organic combination of light and shadow, light and art of the perfect crystal.



型号: LDTY-19701 型 高度 :3-6m 光源: LED/ 节能灯







型号: LDTY-19901 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-19902 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20001 型



Courtyard lighting series

庭院照明系列

- 适用场所
公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。
- 材料说明
钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。
- Applicable places:
Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.
- Material specification:
Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.





Courtyard lighting series

庭院照明系列

- 适用场所
公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。
- 材料说明
钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。
- Applicable places:
Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.
- Material specification:
Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.

型号: LDTY-20201 型 高度: 3-6m 光源: LED/ 节能灯





型号: LDTY-20301 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20302 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20303 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20304 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20401 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20402 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20403 型 高度 :3-6m 光源: LED/ 节能灯



型号: LDTY-20404 型 高度 :3-6m 光源: LED/ 节能灯

型号: LDTY-20501 型 高度 :3-6m 光源: LED/ 节能灯







型号: LDTY-20701 型




型号: LDTY-20702 型



型号: LDTY-20703 型




型号: LDTY-20704 型



型号: LDTY-20705 型



型号: LDTY-20706 型



Courtyard lighting series

庭院照明系列

- 适用场所
公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。
- 材料说明
钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。
- Applicable places:
Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.
- Material specification:
Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.



型号: LDTY-20801 型



Courtyard lighting series


庭院照明系列

- 适用场所
公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。
- 材料说明
钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。

- Applicable places:
Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.
- Material specification:
Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.

型号: LDTY-21001 型 高度:3-6m 光源: LED/ 节能灯





型号: LDTY-21101 型



型号: LDTY-21102 型




型号: LDTY-21103 型



型号: LDTY-21104 型



型号: LDTY-21105 型



型号: LDTY-21106 型



型号: LDTY-21201 型



型号: LDTY-21202 型



型号: LDTY-21203 型



型号: LDTY-21204 型




型号: LDTY-21205 型



型号: LDTY-21206 型

型号: LDTY-21301 型 高度: 3-6m 光源: LED/节能灯





型号: LDTY-21401 型



型号: LDTY-21402 型



型号: LDTY-21403 型



型号: LDTY-21404 型



型号: LDTY-21405 型



型号: LDTY-21406 型



型号: LDTY-21501 型



型号: LDTY-21502 型



型号: LDTY-21503 型



型号: LDTY-21504 型




型号: LDTY-21505 型



型号: LDTY-21506 型



型号: LDTY-21601 型



Courtyard lighting series

庭院照明系列

- 适用场所
公园、庭院及高档住宅小区、道路两侧、商业步行街、休闲广场、风景旅游区等。
- 材料说明
钢质灯体，整体高质量热浸镀锌后静电喷塑处理，不生锈，耐老化，表面光洁。光源为金卤灯、节能灯及 LED。
- Applicable places:
Park, garden and high-grade residential area, road on both sides, commercial pedestrian street, leisure square, and scenic areas, etc.
- Material specification:
Steel body, and processed by electrostatic powder coating after an overall high quality hot dip galvanized, rustless, aging resistance, smooth surface. The light source is metal halide lamp, energy-saving lamps and LED.





型号: LDTY-21701 型



型号: LDTY-21702 型



型号: LDTY-21703 型



型号: LDTY-21704 型



型号: LDTY-21705 型



型号: LDTY-21706 型

型号: LDTY-21801 型 高度 :3-6m 光源: LED/ 节能灯





型号: LDTY-21901 型



型号: LDTY-21902 型



型号: LDTY-21903 型



型号: LDTY-21904 型



型号: LDTY-21905 型



型号: LDTY-21906 型



型号: LDTY-22001 型



型号: LDTY-22002 型



型号: LDTY-22003 型



型号: LDTY-22004 型



型号: LDTY-22005 型



型号: LDTY-22006 型



型号: LDTY-22101 型



型号: LDTY-22102 型



型号: LDTY-22103 型



型号: LDTY-22104 型



型号: LDTY-22105 型



型号: LDTY-22106 型



型号: LDTY-22201 型



型号: LDTY-22202 型



型号: LDTY-22203 型



型号: LDTY-22204 型



型号: LDTY-22205 型



型号: LDTY-22206 型



型号: LDTY-22301 型



型号: LDTY-22302 型




型号: LDTY-22303 型



型号: LDTY-22304 型



型号: LDTY-22305 型



型号: LDTY-22306 型